PATENT UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Kilawee, et al

Application No.:

09/941,505

Filed:

August 28, 2001

For:

A Device For Holding A Container For A

Composition That Produces An Antimicrobially

Active Gas

Examiner:

not assigned yet

Group Art Unit:

3744

Commissioner for Patent

Docket No.: E14.2-9861

Washington, D.C. 20231

TRANSMITTAL LETTER

1. In regard to the above-identified application, we are submitting the attached:

1 pg Response To Notice To File Corrected Application Papers; 1 pg copy of Notice to File Corrected Application Papers; 4 pg Formal Drawings; VA&S transmittal and postcard

- 2. With respect to fees:
 - No additional fee is required.
 - Attached is check(s) in the amount of \$.
 - Charge additional fee to our Deposit Account No. 22-0350.

3. CONDITIONAL PETITION FOR EXTENSION OF TIME

> This conditional petition is being filed along with the papers identified in Item 1 above and provides for the possibility that Applicant has inadvertently overlooked the need for a petition and fee for extension of time or for a petition and fee for any other matter petitionable to the Commissioner as required. If any extension of time for the accompanying response is required or if a petition for any other matter is required, by petitioner, Applicant requests that this be considered a petition therefor.

4. Notwithstanding paragraph 2 above, if any additional fees associated with this communication are required and have not otherwise been paid, including any fee associated with the Conditional Petition for Extension of Time, or any request in the accompanying papers for action which requires a fee as a petition to the Commissioner, please charge the additional fees to Deposit Account No. 22-0350. Please charge any additional fees or credit overpayment associated with this communication to the Deposit Account No. 22-0350.

VIDAS, ARRETT & STEINKRAUS

Date:


December 3, 2001

Registration No. 43,071

6109 Blue Circle Drive, Suite 2000 Minnetonka, MN 55343-9185 Telephone: (952) 563-3000 Facsimile: (952) 563-3001

Certificate Under 37 CFR 1.8: I hereby certify that this Transmittal Letter and the paper(s) as described herein, are being deposited in the U.S. Postal Service, as FIRST CLASS MAIL, addressed to Commissioner for Patents, Washington D.C. 20231, on December 3, 2001.

Jayne Bisson





PATENT

In re Application of:

Kilawee et al

Application No.:

09/941,505

Filed:

August 28, 2001

For:

A DEVICE FOR HOLDING A

CONTAINER FOR A COMPOSITION

THAT PRODUCES AN

ANTIMICROBIALLY ACTIVE GAS

Examiner:

not yet assigned

Group Art Unit:

3744

Commissioner for Patents Washington, DC 20231

Docket No.: E14.2-9861

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

In response to the Notice to File Corrected Application Papers, we are enclosing sheets of formal drawings, along with a copy of the Notice to File Corrected Application Papers.

Respectfully submitted,

VIDAS ARRETT & STEINKRAUS

Date: December 3, 2001

By:

Registration No. 43,071

6109 Blue Circle Drive, Suite 2000

Minnetonka, MN 55343-9185 Telephone: (952) 563-3000

Facsimile: (952) 563-3001 F:\mathbb{WPWORK\LLR\9861-COR.DRG}



United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

09/941,505

08/28/2001

Patrick H. Kilawee

E14.2-9861

490 VIDAS, ARRETT & STEINKRAUS, P.A. 6109 BLUE CIRCLE DRIVE SUITE 2000 MINNETONKA, MN 55343-9185



CONFIRMATION NO. 6840
FORMALITIES LETTER
OC0000000006838387

Date Mailed: 10/03/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

IJ

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE